



MEDICATION SUSPENSION LIST

** Please discontinue the following medications &/or vitamin supplements for the stated number of days prior to your pain procedure **

DAYS BEFORE PROCEDURE	BRAND NAMES	GENERIC NAMES
14 days (2 weeks)	Ticlid	Ticlopidine
7 days (1 week)	Aggrenox	Aspirin & Dipyridamole
	Asacol	Mesalamine
	Aspirin (any dosage)	Acetylsalicylic Acid
	Coumadin	Warfarin
	Dipentum	Olsalazine Sodium
	Ecotrin	
	Effient	same as Plavix, Prasugrel
	Enbrel	Entanercept
	Excedrin	ASA / Acetaminophen, Caffeine
	Garlic	
	Ginseng	
	Heparin	
	Plavix	Clopidogrel Bisulfate
	Pletal	Cilostazol
	Rowasa	Mesalamine
	St. John's Wart	
Vitamin E		
5 days	Pradaxa	
	Xarelto	
3 days	Advil	Ibuprofen
	Aleve	Naproxen
	Arthrotec	Diclofenac / Misoprostol
	Dolobid	Diflunisal
	Ginkgo Biloba	
	Lodine	Etodolac
	Mobic	Meloxicam
	Motrin	Ibuprofen
	Naproxen	Naprosyn
	Voltaren	Diclofenac
1 day (24 hours)	Fragmin	Dahltepahrin Sodium
	Lovenox	Enoxaparin Sodium